

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
		(PDP or plasma same display\$6 same panel \$6) and (maxim\$6 and efficacy) and (frequency and sustain \$6 same pulse\$6) and suppl\$6 and (sustain \$6 and discharge\$6 same cell\$1) and drivin \$6 and circuit\$6 and "500" and KHz and and electromagnet\$6 and interference\$6	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/05/09 16:46
S1	0	"8160910"	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/05/09 15:43
S2	2	"08160910"	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/05/09 15:43
S3	2	"08314405"	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/05/09 16:34
S4	3	"11065524"	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/05/09 16:34
S5	5	"11143422"	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/05/09 16:35
S6	4	"11219150"	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/05/09 16:35

S7	5	"11282415"	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/05/09 16:35
S8	2	"2000215814"	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/05/09 16:36
S9	6	"2000075531"	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/05/09 16:36
S10	4	"2001228820"	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/05/09 16:36
S11	2	"2001228821"	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/05/09 16:37
S12	2	"2001306029"	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/05/09 16:37
S13	0	(PDP or plasma same display\$6 same panel \$6) and maxim\$6 same efficacy and frequency same sustain \$6 same pulse\$6 and suppl\$6 and sustain\$6 same discharge\$6 same cell\$1 and drivin \$6 same circuit\$6 and "500" same KHz and "1" same MHz and electromagnet\$6 same interference\$6	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/05/09 16:41
S14	76029	(PDP or plasma same display\$6 same panel \$6)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/05/09 16:42

S15	41	(PDP or plasma same display\$6 same panel \$6) and maxim\$6 same efficacy	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/05/09 16:42
S16	0	(PDP or plasma same display\$6 same panel \$6) and maxim\$6 same efficiency	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/05/09 16:42
S17	2	(PDP or plasma same display\$6 same panel \$6) and maxim\$6 same efficacy and frequency same sustain \$6 same pulse\$6	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/05/09 16:43
S18	19	(PDP or plasma same display\$6 same panel \$6) and (maxim\$6 and efficacy) and (frequency and sustain \$6 same pulse\$6)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/05/09 16:44
S19	5	(PDP or plasma same display\$6 same panel \$6) and (maxim\$6 and efficacy) and (frequency and sustain \$6 same pulse\$6) and suppl\$6 and sustain\$6 same discharge\$6 same cell\$1	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/05/09 16:44
S20	7	(PDP or plasma same display\$6 same panel \$6) and (maxim\$6 and efficacy) and (frequency and sustain \$6 same pulse\$6) and suppl\$6 and (sustain \$6 and discharge\$6 same cell\$1)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/05/09 16:45
S21	5	(PDP or plasma same display\$6 same panel \$6) and (maxim\$6 and efficacy) and (frequency and sustain \$6 same pulse\$6) and suppl\$6 and (sustain \$6 and discharge\$6 same cell\$1) and drivin \$6 and circuit\$6	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/05/09 16:45

S22	0	(PDP or plasma same display\$6 same panel \$6) and (maxim\$6 and efficacy) and (frequency and sustain \$6 same pulse\$6) and suppl\$6 and (sustain \$6 and discharge\$6 same cell\$1) and drivin \$6 and circuit\$6 and "500" and KHz and "1" same MHz and electromagnet\$6 and interference\$6	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/05/09 16:45
S23	0	(PDP or plasma same display\$6 same panel \$6) and (maxim\$6 and efficacy) and (frequency and sustain \$6 same pulse\$6) and suppl\$6 and (sustain \$6 and discharge\$6 same cell\$1) and drivin \$6 and circuit\$6 and "500" and KHz and "1" and MHz and electromagnet\$6 and interference\$6	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/05/09 16:46
S24	0	(PDP or plasma same display\$6 same panel \$6) and (maxim\$6 and efficacy) and (frequency and sustain \$6 same pulse\$6) and suppl\$6 and (sustain \$6 and discharge\$6 same cell\$1) and drivin \$6 and circuit\$6 and "500" and KHz and electromagnet\$6 and interference\$6	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/05/09 16:46

S25	0	(PDP or plasma same display\$6 same panel\$6) and (maxim\$6 and efficacy) and (frequency and sustain\$6 and pulse\$6) and suppl\$6 and (sustain\$6 and discharge\$6 and cell\$1) and drivin\$6 and circuit\$6 and "500" and KHz and electromagnet\$6 and interference\$6	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/05/09 16:47
S26	0	(PDP or plasma same display\$6 same panel\$6) and (maxim\$6 and efficacy) and (frequency and sustain\$6 and pulse\$6) and suppl\$6 and (sustain\$6 and discharge\$6 and cell\$1) and drivin\$6 and circuit\$6 and electromagnet\$6 and interference\$6	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/05/09 16:47
S27	0	(PDP or plasma same display\$6 same panel\$6) and (maxim\$6 and efficacy) and (frequency and sustain\$6 and pulse\$6) and suppl\$6 and (sustain\$6 and discharge\$6 and cell\$1) and drivin\$6 and circuit\$6 and ((electromagnet\$6 and interference\$6) or EMI)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/05/09 16:48
S28	0	"08160910" and (PDP or plasma same display\$6 same panel\$6) and maxim\$6 same efficacy and frequency same sustain\$6 same pulse\$6	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/05/09 16:48
S29	0	"08314405" and (PDP or plasma same display\$6 same panel\$6) and maxim\$6 same efficacy and frequency same sustain\$6 same pulse\$6	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/05/09 16:48

S30	0	"11065524" and (PDP or plasma same display \$6 same panel\$6) and maxim\$6 same efficacy and frequency same sustain\$6 same pulse\$6	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/05/09 16:49
S31	0	"11065524" and (PDP or plasma same display \$6 same panel\$6) and maxim\$6 same efficacy and frequency same sustain\$6 same pulse\$6	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/05/09 16:49
S32	0	"11143422" and (PDP or plasma same display \$6 same panel\$6) and maxim\$6 same efficacy and frequency same sustain\$6 same pulse\$6	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/05/09 16:49
S33	0	"11219150" and (PDP or plasma same display \$6 same panel\$6) and maxim\$6 same efficacy and frequency same sustain\$6 same pulse\$6	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/05/09 16:49
S34	0	"11282415" and (PDP or plasma same display \$6 same panel\$6) and maxim\$6 same efficacy and frequency same sustain\$6 same pulse\$6	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/05/09 16:49
S35	0	"2000215814" and (PDP or plasma same display\$6 same panel \$6) and maxim\$6 same efficacy and frequency same sustain \$6 same pulse\$6	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/05/09 16:50
S36	0	"2000075531" and (PDP or plasma same display\$6 same panel \$6) and maxim\$6 same efficacy and frequency same sustain \$6 same pulse\$6	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/05/09 16:50

S37	0	"2001228820" and (PDP or plasma same display\$6 same panel \$6) and maxim\$6 same efficacy and frequency same sustain \$6 same pulse\$6	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/05/09 16:50
S38	0	"2001228821" and (PDP or plasma same display\$6 same panel \$6) and maxim\$6 same efficacy and frequency same sustain \$6 same pulse\$6	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/05/09 16:50
S39	0	"2001306029" and (PDP or plasma same display\$6 same panel \$6) and maxim\$6 same efficacy and frequency same sustain \$6 same pulse\$6	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/05/09 16:50
S40	654	(PDP or plasma same display\$6 same panel \$6) and subfield\$6 and include\$6 and address\$6 same period \$1 and form\$6 same wall same char\$6 and discharge\$6 same cell \$1 and select\$6 and discharge\$6 same cell \$1 and sustain\$6 same period\$1 and dischar\$6 and select\$6 same cell\$1	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/05/09 16:55
S41	463	(PDP or plasma same display\$6 same panel \$6) and subfield\$6 and include\$6 and address\$6 same period \$1 and form\$6 same wall same char\$6 and discharge\$6 same cell \$1 and select\$6 and discharge\$6 same cell \$1 and sustain\$6 same period\$1 and dischar\$6 and select\$6 same cell\$1 and first same pulse and second same electrode \$1	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/05/09 17:14

S42	90	(PDP or plasma same display\$6 same panel \$6) and subfield\$6 and include\$6 and address\$6 same period \$1 and form\$6 same wall same char\$6 and discharge\$6 same cell \$1 and select\$6 and discharge\$6 same cell \$1 and sustain\$6 same period\$1 and dischar\$6 and select\$6 same cell\$1 and first same pulse and second same electrode \$1 and plural\$6 same second same electrode \$1 and first same electrode\$1 and plural \$6 same first same electrode\$1 and establish\$6 and first same voltage\$1	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/05/09 17:15
S43	34	(PDP or plasma same display\$6 same panel \$6) and subfield\$6 and include\$6 and address\$6 same period \$1 and form\$6 same wall same char\$6 and discharge\$6 same cell \$1 and select\$6 and discharge\$6 same cell \$1 and sustain\$6 same period\$1 and dischar\$6 and select\$6 same cell\$1 and first same pulse and second same electrode \$1 and plural\$6 same second same electrode \$1 and first same electrode\$1 and plural \$6 same first same electrode\$1 and establish\$6 and first same voltage\$1 and alternat\$6 and apply \$6 and first same electrode\$1 and second same electrode \$1 and sustain\$6 same pulse\$6 and	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/05/09 17:16

		second same voltage \$1 and defin\$6 and voltage\$1 same difference same between and first same electrode\$1 and second same electrode \$1 and second same voltage\$1 and voltage \$1 same difference same between and first same pulse and first same voltage\$1				
S44	45	(PDP or plasma same display\$6 same panel \$6) and subfield\$6 and include\$6 and address\$6 same period \$1 and form\$6 same wall same char\$6 and discharge\$6 same cell \$1 and select\$6 and discharge\$6 same cell \$1 and sustain\$6 same period\$1 and dischar\$6 and select\$6 same cell\$1 and first same pulse and second same electrode \$1 and plural\$6 same second same electrode \$1 and first same electrode\$1 and plural \$6 same first same electrode\$1 and establish\$6 and first same voltage\$1 and alternat\$6 and apply \$6 and first same electrode\$1 and second same electrode \$1 and sustain\$6 same pulse\$6 and second same voltage \$1 and defin\$6	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/05/09 17:17

S45	0	"08160910" and (PDP or plasma same display \$6 same panel\$6) and subfield\$6 and include \$6 and address\$6 same period\$1 and form\$6 same wall same char\$6 and discharge\$6 same cell \$1 and select\$6 and discharge\$6 same cell \$1 and sustain\$6 same period\$1 and dischar\$6 and select\$6 same cell\$1 and first same pulse and second same electrode \$1 and plural\$6 same second same electrode \$1 and first same electrode\$1 and plural \$6 same first same electrode\$1 and establish\$6 and first same voltage\$1 and alternat\$6 and apply \$6 and first same electrode\$1 and second same electrode \$1 and sustain\$6 same pulse\$6 and second same voltage \$1 and defin\$6 and voltage\$1 same difference same between and first same electrode\$1 and second same electrode \$1 and second same voltage\$1 and voltage \$1 same difference same between and first same pulse and first same voltage\$1	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/05/09 17:18
-----	---	--	---	----	-----	---------------------

S46	0	"08314405" and (PDP or plasma same display \$6 same panel\$6) and subfield\$6 and include \$6 and address\$6 same period\$1 and form\$6 same wall same char\$6 and discharge\$6 same cell \$1 and select\$6 and discharge\$6 same cell \$1 and sustain\$6 same period\$1 and dischar\$6 and select\$6 same cell\$1 and first same pulse and second same electrode \$1 and plural\$6 same second same electrode \$1 and first same electrode\$1 and plural \$6 same first same electrode\$1 and establish\$6 and first same voltage\$1 and alternat\$6 and apply \$6 and first same electrode\$1 and second same electrode \$1 and sustain\$6 same pulse\$6 and second same voltage \$1 and defin\$6 and voltage\$1 same difference same between and first same electrode\$1 and second same electrode \$1 and second same voltage\$1 and voltage \$1 same difference same between and first same pulse and first same voltage\$1	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/05/09 17:19
-----	---	--	---	----	-----	---------------------

S47	0	"11065524" and (PDP or plasma same display \$6 same panel\$6) and subfield\$6 and include \$6 and address\$6 same period\$1 and form\$6 same wall same char\$6 and discharge\$6 same cell \$1 and select\$6 and discharge\$6 same cell \$1 and sustain\$6 same period\$1 and dischar\$6 and select\$6 same cell\$1 and first same pulse and second same electrode \$1 and plural\$6 same second same electrode \$1 and first same electrode\$1 and plural \$6 same first same electrode\$1 and establish\$6 and first same voltage\$1 and alternat\$6 and apply \$6 and first same electrode\$1 and second same electrode \$1 and sustain\$6 same pulse\$6 and second same voltage \$1 and defin\$6 and voltage\$1 same difference same between and first same electrode\$1 and second same electrode \$1 and second same voltage\$1 and voltage \$1 same difference same between and first same pulse and first same voltage\$1	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/05/09 17:19
-----	---	--	---	----	-----	---------------------

S48	0	"11065524" and (PDP or plasma same display \$6 same panel\$6) and subfield\$6 and include \$6 and address\$6 same period\$1 and form\$6 same wall same char\$6 and discharge\$6 same cell \$1 and select\$6 and discharge\$6 same cell \$1 and sustain\$6 same period\$1 and dischar\$6 and select\$6 same cell\$1 and first same pulse and second same electrode \$1 and plural\$6 same second same electrode \$1 and first same electrode\$1 and plural \$6 same first same electrode\$1 and establish\$6 and first same voltage\$1 and alternat\$6 and apply \$6 and first same electrode\$1 and second same electrode \$1 and sustain\$6 same pulse\$6 and second same voltage \$1 and defin\$6 and voltage\$1 same difference same between and first same electrode\$1 and second same electrode \$1 and second same voltage\$1 and voltage \$1 same difference same between and first same pulse and first same voltage\$1	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/05/09 17:19
-----	---	--	---	----	-----	---------------------

S49	0	"11143422" and (PDP or plasma same display \$6 same panel\$6) and subfield\$6 and include \$6 and address\$6 same period\$1 and form\$6 same wall same char\$6 and discharge\$6 same cell \$1 and select\$6 and discharge\$6 same cell \$1 and sustain\$6 same period\$1 and dischar\$6 and select\$6 same cell\$1 and first same pulse and second same electrode \$1 and plural\$6 same second same electrode \$1 and first same electrode\$1 and plural \$6 same first same electrode\$1 and establish\$6 and first same voltage\$1 and alternat\$6 and apply \$6 and first same electrode\$1 and second same electrode \$1 and sustain\$6 same pulse\$6 and second same voltage \$1 and defin\$6 and voltage\$1 same difference same between and first same electrode\$1 and second same electrode \$1 and second same voltage\$1 and voltage \$1 same difference same between and first same pulse and first same voltage\$1	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/05/09 17:19
-----	---	--	---	----	-----	---------------------

S50	0	"11219150" and (PDP or plasma same display \$6 same panel\$6) and subfield\$6 and include \$6 and address\$6 same period\$1 and form\$6 same wall same char\$6 and discharge\$6 same cell \$1 and select\$6 and discharge\$6 same cell \$1 and sustain\$6 same period\$1 and dischar\$6 and select\$6 same cell\$1 and first same pulse and second same electrode \$1 and plural\$6 same second same electrode \$1 and first same electrode\$1 and plural \$6 same first same electrode\$1 and establish\$6 and first same voltage\$1 and alternat\$6 and apply \$6 and first same electrode\$1 and second same electrode \$1 and sustain\$6 same pulse\$6 and second same voltage \$1 and defin\$6 and voltage\$1 same difference same between and first same electrode\$1 and second same electrode \$1 and second same voltage\$1 and voltage \$1 same difference same between and first same pulse and first same voltage\$1	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/05/09 17:20
-----	---	--	---	----	-----	---------------------

SS1	0	"11282415" and (PDP or plasma same display \$6 same panel\$6) and subfield\$6 and include \$6 and address\$6 same period\$1 and form\$6 same wall same char\$6 and discharge\$6 same cell \$1 and select\$6 and discharge\$6 same cell \$1 and sustain\$6 same period\$1 and dischar\$6 and select\$6 same cell\$1 and first same pulse and second same electrode \$1 and plural\$6 same second same electrode \$1 and first same electrode\$1 and plural \$6 same first same electrode\$1 and establish\$6 and first same voltage\$1 and alternat\$6 and apply \$6 and first same electrode\$1 and second same electrode \$1 and sustain\$6 same pulse\$6 and second same voltage \$1 and defin\$6 and voltage\$1 same difference same between and first same electrode\$1 and second same electrode \$1 and second same voltage\$1 and voltage \$1 same difference same between and first same pulse and first same voltage\$1	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/05/09 17:20
-----	---	--	---	----	-----	---------------------

SS2	0	<p>"2000215814" and (PDP or plasma same display\$6 same panel \$6) and subfield\$6 and include\$6 and address\$6 same period \$1 and form\$6 same wall same char\$6 and discharge\$6 same cell \$1 and select\$6 and discharge\$6 same cell \$1 and sustain\$6 same period\$1 and dischar\$6 and select\$6 same cell\$1 and first same pulse and second same electrode \$1 and plural\$6 same second same electrode \$1 and first same electrode\$1 and plural \$6 same first same electrode\$1 and establish\$6 and first same voltage\$1 and alternat\$6 and apply \$6 and first same electrode\$1 and second same electrode \$1 and sustain\$6 same pulse\$6 and second same voltage \$1 and defin\$6 and voltage\$1 same difference same between and first same electrode\$1 and second same electrode \$1 and second same voltage\$1 and voltage \$1 same difference same between and first same pulse and first same voltage\$1</p>	<p>US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB</p>	OR	OFF	<p>2008/05/09 17:20</p>
-----	---	---	--	----	-----	-----------------------------

S53	0	"2000075531" and (PDP or plasma same display\$6 same panel \$6) and subfield\$6 and include\$6 and address\$6 same period \$1 and form\$6 same wall same char\$6 and discharge\$6 same cell \$1 and select\$6 and discharge\$6 same cell \$1 and sustain\$6 same period\$1 and dischar\$6 and select\$6 same cell\$1 and first same pulse and second same electrode \$1 and plural\$6 same second same electrode \$1 and first same electrode\$1 and plural \$6 same first same electrode\$1 and establish\$6 and first same voltage\$1 and alternat\$6 and apply \$6 and first same electrode\$1 and second same electrode \$1 and sustain\$6 same pulse\$6 and second same voltage \$1 and defin\$6 and voltage\$1 same difference same between and first same electrode\$1 and second same electrode \$1 and second same voltage\$1 and voltage \$1 same difference same between and first same pulse and first same voltage\$1	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/05/09 17:20
-----	---	--	---	----	-----	---------------------

S54	0	"2001228820" and (PDP or plasma same display\$6 same panel \$6) and subfield\$6 and include\$6 and address\$6 same period \$1 and form\$6 same wall same char\$6 and discharge\$6 same cell \$1 and select\$6 and discharge\$6 same cell \$1 and sustain\$6 same period\$1 and dischar\$6 and select\$6 same cell\$1 and first same pulse and second same electrode \$1 and plural\$6 same second same electrode \$1 and first same electrode\$1 and plural \$6 same first same electrode\$1 and establish\$6 and first same voltage\$1 and alternat\$6 and apply \$6 and first same electrode\$1 and second same electrode \$1 and sustain\$6 same pulse\$6 and second same voltage \$1 and defin\$6 and voltage\$1 same difference same between and first same electrode\$1 and second same electrode \$1 and second same voltage\$1 and voltage \$1 same difference same between and first same pulse and first same voltage\$1	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/05/09 17:20
-----	---	--	---	----	-----	---------------------

SS5	0	"2001228821" and (PDP or plasma same display\$6 same panel \$6) and subfield\$6 and include\$6 and address\$6 same period \$1 and form\$6 same wall same char\$6 and discharge\$6 same cell \$1 and select\$6 and discharge\$6 same cell \$1 and sustain\$6 same period\$1 and dischar\$6 and select\$6 same cell\$1 and first same pulse and second same electrode \$1 and plural\$6 same second same electrode \$1 and first same electrode\$1 and plural \$6 same first same electrode\$1 and establish\$6 and first same voltage\$1 and alternat\$6 and apply \$6 and first same electrode\$1 and second same electrode \$1 and sustain\$6 same pulse\$6 and second same voltage \$1 and defin\$6 and voltage\$1 same difference same between and first same electrode\$1 and second same electrode \$1 and second same voltage\$1 and voltage \$1 same difference same between and first same pulse and first same voltage\$1	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/05/09 17:21
-----	---	---	---	----	-----	---------------------

S56	0	"2001306029" and (PDP or plasma same display\$6 same panel \$6) and subfield\$6 and include\$6 and address\$6 same period \$1 and form\$6 same wall same char\$6 and discharge\$6 same cell \$1 and select\$6 and discharge\$6 same cell \$1 and sustain\$6 same period\$1 and dischar\$6 and select\$6 same cell\$1 and first same pulse and second same electrode \$1 and plural\$6 same second same electrode \$1 and first same electrode\$1 and plural \$6 same first same electrode\$1 and establish\$6 and first same voltage\$1 and alternat\$6 and apply \$6 and first same electrode\$1 and second same electrode \$1 and sustain\$6 same pulse\$6 and second same voltage \$1 and defin\$6 and voltage\$1 same difference same between and first same electrode\$1 and second same electrode \$1 and second same voltage\$1 and voltage \$1 same difference same between and first same pulse and first same voltage\$1	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/05/09 17:21
S57	661	(PDP or plasma same display\$6 same panel \$6) and apply\$6 and set\$6 same up same pulse\$6 and form\$6	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/05/09 21:28

S58	54	(PDP or plasma same display\$6 same panel \$6) and apply\$6 and set\$6 same up same pulse\$6 and form\$6 and first same space \$6 same charge\$6 and select\$6 and discharge \$6 same cell\$1	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/05/09 21:29
S59	0	(PDP or plasma same display\$6 same panel \$6) and apply\$6 and set\$6 same up same pulse\$6 and form\$6 and first same space \$6 same charge\$6 and select\$6 and discharge \$6 same cell\$1 and establish\$6 and first same space\$6 same charge\$6 and form\$6 and set\$6 same up same pulse\$6 and prim \$6 same elemen\$1 and apply\$6 same sustain\$6 same pulse \$6	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/05/09 21:29
S60	0	(PDP or plasma same display\$6 same panel \$6) and apply\$6 and set\$6 same up same pulse\$6 and form\$6 and first same space \$6 same charge\$6 and select\$6 and discharge \$6 same cell\$1 and establish\$6 and first same space\$6 same charge\$6 and form\$6 and set\$6 same up same pulse\$6 and prim \$6 same elemen\$1 and apply\$6 and sustain\$6 same pulse \$6	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/05/09 21:30

S61	0	(PDP or plasma same display\$6 same panel \$6) and apply\$6 and set\$6 same up same pulse\$6 and form\$6 and first same space \$6 same charge\$6 and select\$6 and discharge \$6 same cell\$1 and first same space\$6 same charge\$6 and form\$6 and set\$6 same up same pulse\$6 and prim\$6 same elemen\$1 and apply\$6 and sustain\$6 same pulse\$6	US-PGPUB; USPAT; FFRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/05/09 21:31
S62	0	(PDP or plasma same display\$6 same panel \$6) and apply\$6 and set\$6 same up same pulse\$6 and form\$6 and first same space \$6 same charge\$6 and select\$6 and discharge \$6 same cell\$1 and first same space\$6 same charge\$6 and form\$6 and set\$6 same pulse\$6 and prim \$6 same elemen\$1 and apply\$6 and sustain\$6 same pulse \$6	US-PGPUB; USPAT; FFRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/05/09 21:31
S63	0	(PDP or plasma same display\$6 same panel \$6) and apply\$6 and set\$6 same up same pulse\$6 and form\$6 and first same space \$6 same charge\$6 and select\$6 and discharge \$6 same cell\$1 and first same space\$6 same charge\$6 and form\$6 and set\$6 same pulse\$6 and prim \$6 same element\$1 and apply\$6 and sustain\$6 same pulse \$6	US-PGPUB; USPAT; FFRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/05/09 21:31

S64	32	(PDP or plasma same display\$6 same panel \$6) and apply\$6 and set\$6 same up same pulse\$6 and form\$6 and first same space \$6 same charge\$6 and select\$6 and discharge \$6 same cell\$1 and first same space\$6 same charge\$6 and form\$6 and set\$6 same pulse\$6 and prim \$6 and apply\$6 and sustain\$6 same pulse \$6	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/05/09 21:32
S65	20	(PDP or plasma same display\$6 same panel \$6) and apply\$6 and set\$6 same up same pulse\$6 and form\$6 and first same space \$6 same charge\$6 and select\$6 and discharge \$6 same cell\$1 and first same space\$6 same charge\$6 and form\$6 and set\$6 same pulse\$6 and (prim\$6 and element \$1) and apply\$6 and sustain\$6 same pulse \$6	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/05/09 21:33
S66	1	(PDP or plasma same display\$6 same panel \$6) and apply\$6 and set\$6 same up same pulse\$6 and form\$6 and first same space \$6 same charge\$6 and select\$6 and discharge \$6 same cell\$1 and first same space\$6 same charge\$6 and form\$6 and set\$6 same pulse\$6 and (prim\$6 and element \$1) and apply\$6 and sustain\$6 same pulse \$6 and discharge\$6 same cell\$1 and sustain\$6 same pulse \$6 and voltage\$1 same level\$6 and	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/05/09 21:34

		discharg\$6 and select \$6 same discharge\$6 same cell\$1 and prim \$1 and element\$1 and exist\$6				
S67	1	(PDP or plasma same display\$6 same panel \$6) and apply\$6 and set\$6 same up same pulse\$6 and form\$6 and first same space \$6 same charge\$6 and select\$6 and discharge \$6 same cell\$1 and first same space\$6 same charge\$6 and form\$6 and set\$6 same pulse\$6 and (prim\$6 and element \$1) and apply\$6 and sustain\$6 same pulse \$6 and discharge\$6 same cell\$1 and sustain\$6 same pulse \$6 and voltage\$1 same level\$6 and discharg\$6 and select \$6 same discharge\$6 same cell\$1 and (prim \$1 and element\$1 and exist\$6)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/05/09 21:34
S68	0	"08160910" and (PDP or plasma same display \$6 same panel\$6) and apply\$6 and set\$6 same up same pulse\$6 and form\$6 and first same space\$6 same charge\$6 and select\$6 and discharge\$6 same cell\$1 and first same space\$6 same charge \$6 and form\$6 and set \$6 same pulse\$6 and (prim\$6 and element \$1) and apply\$6 and sustain\$6 same pulse \$6 and discharge\$6 same cell\$1 and sustain\$6 same pulse \$6 and voltage\$1 same level\$6 and discharg\$6 and select \$6 same discharge\$6	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/05/09 21:36

		same cell\$1 and prim \$1 and element\$1 and exist\$6				
S69	0	"08314405" and (PDP or plasma same display \$6 same panel\$6) and apply\$6 and set\$6 same up same pulse\$6 and form\$6 and first same space\$6 same charge\$6 and select\$6 and discharge\$6 same cell\$1 and first same space\$6 same charge \$6 and form\$6 and set \$6 same pulse\$6 and (prim\$6 and element \$1) and apply\$6 and sustain\$6 same pulse \$6 and discharge\$6 same cell\$1 and sustain\$6 same pulse \$6 and voltage\$1 same level\$6 and discharg\$6 and select \$6 same discharge\$6 same cell\$1 and prim \$1 and element\$1 and exist\$6	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/05/09 21:36
S70	0	"11143422" and (PDP or plasma same display \$6 same panel\$6) and apply\$6 and set\$6 same up same pulse\$6 and form\$6 and first same space\$6 same charge\$6 and select\$6 and discharge\$6 same cell\$1 and first same space\$6 same charge \$6 and form\$6 and set \$6 same pulse\$6 and (prim\$6 and element \$1) and apply\$6 and sustain\$6 same pulse \$6 and discharge\$6 same cell\$1 and sustain\$6 same pulse \$6 and voltage\$1 same level\$6 and discharg\$6 and select \$6 same discharge\$6 same cell\$1 and prim \$1 and element\$1 and	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/05/09 21:37

		exist\$6				
S71	0	"11219150" and (PDP or plasma same display \$6 same panel\$6) and apply\$6 and set\$6 same up same pulse\$6 and form\$6 and first same space\$6 same charge\$6 and select\$6 and discharge\$6 same cell\$1 and first same space\$6 same charge \$6 and form\$6 and set \$6 same pulse\$6 and (prim\$6 and element \$1) and apply\$6 and sustain\$6 same pulse \$6 and discharge\$6 same cell\$1 and sustain\$6 same pulse \$6 and voltage\$1 same level\$6 and discharg\$6 and select \$6 same discharge\$6 same cell\$1 and prim \$1 and element\$1 and exist\$6	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/ 05/ 09 21:37
S72	0	"11065524" and (PDP or plasma same display \$6 same panel\$6) and apply\$6 and set\$6 same up same pulse\$6 and form\$6 and first same space\$6 same charge\$6 and select\$6 and discharge\$6 same cell\$1 and first same space\$6 same charge \$6 and form\$6 and set \$6 same pulse\$6 and (prim\$6 and element \$1) and apply\$6 and sustain\$6 same pulse \$6 and discharge\$6 same cell\$1 and sustain\$6 same pulse \$6 and voltage\$1 same level\$6 and discharg\$6 and select \$6 same discharge\$6 same cell\$1 and prim \$1 and element\$1 and exist\$6	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/05/09 21:37

S73	0	"11282415" and (PDP or plasma same display\$6 same panel\$6) and apply\$6 and set\$6 same up same pulse\$6 and form\$6 and first same space\$6 same charge\$6 and select\$6 and discharge\$6 same cell\$1 and first same space\$6 same charge\$6 and form\$6 and set\$6 same pulse\$6 and (prim\$6 and element\$1) and apply\$6 and sustain\$6 same pulse\$6 and discharge\$6 same cell\$1 and sustain\$6 same pulse\$6 and voltage\$1 same level\$6 and discharg\$6 and select\$6 same discharge\$6 same cell\$1 and prim\$1 and element\$1 and exist\$6	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/05/09 21:37
S74	0	"2000215814" and (PDP or plasma same display\$6 same panel\$6) and apply\$6 and set\$6 same up same pulse\$6 and form\$6 and first same space\$6 same charge\$6 and select\$6 and discharge\$6 same cell\$1 and first same space\$6 same charge\$6 and form\$6 and set\$6 same pulse\$6 and (prim\$6 and element\$1) and apply\$6 and sustain\$6 same pulse\$6 and discharge\$6 same cell\$1 and sustain\$6 same pulse\$6 and voltage\$1 same level\$6 and discharg\$6 and select\$6 same discharge\$6 same cell\$1 and prim\$1 and element\$1 and exist\$6	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/05/09 21:37

S75	0	"200075531" and (PDP or plasma same display\$6 same panel \$6) and apply\$6 and set\$6 same up same pulse\$6 and form\$6 and first same space \$6 same charge\$6 and select\$6 and discharge \$6 same cell\$1 and first same space\$6 same charge\$6 and form\$6 and set\$6 same pulse\$6 and (prim\$6 and element \$1) and apply\$6 and sustain\$6 same pulse \$6 and discharge\$6 same cell\$1 and sustain\$6 same pulse \$6 and voltage\$1 same level\$6 and discharg\$6 and select \$6 same discharge\$6 same cell\$1 and prim \$1 and element\$1 and exist\$6	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/05/09 21:38
S76	0	"2001228820" and (PDP or plasma same display\$6 same panel \$6) and apply\$6 and set\$6 same up same pulse\$6 and form\$6 and first same space \$6 same charge\$6 and select\$6 and discharge \$6 same cell\$1 and first same space\$6 same charge\$6 and form\$6 and set\$6 same pulse\$6 and (prim\$6 and element \$1) and apply\$6 and sustain\$6 same pulse \$6 and discharge\$6 same cell\$1 and sustain\$6 same pulse \$6 and voltage\$1 same level\$6 and discharg\$6 and select \$6 same discharge\$6 same cell\$1 and prim \$1 and element\$1 and exist\$6	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/05/09 21:38

S77	0	"2001228821" and (PDP or plasma same display\$6 same panel \$6) and apply\$6 and set\$6 same up same pulse\$6 and form\$6 and first same space \$6 same charge\$6 and select\$6 and discharge \$6 same cell\$1 and first same space\$6 same charge\$6 and form\$6 and set\$6 same pulse\$6 and (prim\$6 and element \$1) and apply\$6 and sustain\$6 same pulse \$6 and discharge\$6 same cell\$1 and sustain\$6 same pulse \$6 and voltage\$1 same level\$6 and discharg\$6 and select \$6 same discharge\$6 same cell\$1 and prim \$1 and element\$1 and exist\$6	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/05/09 21:38
S78	0	"2001306029" and (PDP or plasma same display\$6 same panel \$6) and apply\$6 and set\$6 same up same pulse\$6 and form\$6 and first same space \$6 same charge\$6 and select\$6 and discharge \$6 same cell\$1 and first same space\$6 same charge\$6 and form\$6 and set\$6 same pulse\$6 and (prim\$6 and element \$1) and apply\$6 and sustain\$6 same pulse \$6 and discharge\$6 same cell\$1 and sustain\$6 same pulse \$6 and voltage\$1 same level\$6 and discharg\$6 and select \$6 same discharge\$6 same cell\$1 and prim \$1 and element\$1 and exist\$6	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/05/09 21:38

5/23/2008 8:55:33 AM

C:\Documents and Settings\pdharia\My Documents\EAST\Workspaces\10796225_05-09-2008.wsp